



**Drop Permit for Connection to the Network of
Webster-Calhoun Cooperative Telephone Association**

(Must be signed by landowner or agent)

I hereby grant Webster-Calhoun Cooperative Telephone Association (WCCTA) permission to construct and install a fiber optic communications cable drop and ancillary communications facilities and equipment under, upon, across and/or inside the above-identified premises. The cable drop and related facilities and equipment will be located as determined by WCCTA in accordance with sound technical and engineering practices; provided that WCCTA may temporarily use additional workspace in adjacent areas. This permit includes a continuing license to enter the premises and adjacent areas periodically to install, connect, inspect, maintain, repair or replace such facilities and equipment, and any related electronics or accessories, as reasonably necessary for providing voice, video, data or other communications services to the premises. This permit will be used solely by WCCTA and solely for the permitted activities listed herein.

By signing below, I warrant to WCCTA that I am the owner of the premises or, if I am not the owner of the premises, that I have obtained the consent of the owner for WCCTA to perform the permitted activities. I agree to hold WCCTA harmless from and against any claims (whether my own or those of the owner of the premises) arising out of such permitted activities, except for claims arising directly from the negligent or intentional misconduct of WCCTA. *** If pre-authorization is not given before or during the initial installation process of your area, construction charges may apply.

When installing a drop, WCCTA will follow procedures set forth by Iowa One-Call to help locate existing public utility lines. However, private lines such as sprinkler systems, buried lines to out buildings, septic systems, drain fields, etc. are not a part of the one-call system. **In an effort to prevent disturbing private utilities, please let us know of any private lines you are aware of and provide us a telephone number we can reach you at to discuss their location.**

Utility Lines of Concern:

Comments regarding existing private utility lines:

Date: _____

Name: _____

Property Address: _____

Contact Telephone: _____

Signature: _____

Do you have a preference where the outside box (Network Interface Device) should be located? If so please comment below otherwise NID will be placed near the existing services.

Please return this form to:
Webster-Calhoun Cooperative Telephone Association
1106 Beek Street, PO Box 475, Gowrie, IA 50543

For questions please phone
515-352-3151 or 888-350-3151